



Wind Turbine Interactions with Wildlife and their Habitats: A Summary of Research Results and Priority Questions

Literature Cited

This document contains a full list of the primary sources referenced in AWWI's [Wind Turbine Interactions with Wildlife and their Habitats](#). This fact sheet summarizes publicly available information about the adverse impacts of land-based wind power on wildlife in North America and the status of our knowledge regarding how to avoid or minimize these impacts.

Both the fact sheet and the literature cited are updated regularly to account for the latest published findings in the field of wind energy and wildlife research. The most recent versions can be found at: <http://awwi.org/resources/summary-of-wind-wildlife-interactions/>

~

- (AWEA) American Wind Energy Association. 2015. AWEA US Wind Industry First Quarter 2015 Market Report: Executive summary. Washington, DC. Accessed online 5/14/15 at <http://awea.files.cms-plus.com/FileDownloads/pdfs/1Q2015%20AWEA%20Market%20Report%20Public%20Version.pdf>
- Arnett EB and Baerwald EF. 2013. Impacts of wind energy development on bats: implications for conservation. In: *Bat Evolution, Ecology, and Conservation*. Springer New York: 435-456.
- Arnett EB, Hein CD, Schirmacher MR, Huso MMP, and Szewczak JM. 2013a. Evaluating the effectiveness of an ultrasonic acoustic deterrent for reducing bat fatalities at wind turbines. *PLoS One* 8(6): e65794.
- Arnett EB, Johnson GD, Erickson WP, and Hein CD. 2013b. A synthesis of operational mitigation studies to reduce bat fatalities at wind energy facilities in North America. A report for National Renewable Energy Laboratory. Golden, CO.
- Arnett EB, Huso MMP, Schirmacher MR, and Hayes JP. 2011. Altering turbine speed reduces bat mortality at wind-energy facilities. *Frontiers in Ecology and the Environment* 9(4): 209-214.
- Arnett EB, Brown WK, Erickson WP, Fiedler JK, Hamilton BI, Henry TH, Jain A, Johnson GD, Kerns J, Koford RR, Nicholson CP, O'Connell TJ, Piorkowski MD, and Tankersley Jr. RD. 2008. Patterns of bat fatalities at wind energy facilities in North America. *The Journal of Wildlife Management* 72(1): 61-78.
- Arnett EB, Inkley DB, Larkin RP, Manes S, Manville AM, Mason JR, Morrison ML, Strickland MD, and Thresher R. 2007. Impacts of wind energy facilities on wildlife and wildlife habitat. *Wildlife Society Technical Review* 7: 1-50.
- Avery ML, Springer PF, and Cassel JF. 1976. The effects of a tall tower on nocturnal bird migration: a portable ceilometers study. *The Auk* 93(2): 281-291.
- Baerwald EF and Barclay RMR. 2011. Patterns of activity and fatality of migratory bats at a wind energy facility in Alberta, Canada. *The Journal of Wildlife Management* 75(5): 1103-1114.
- Baerwald EF and Barclay RMR. 2009. Geographic variations in activity and fatality of migratory bats at wind energy facilities. *Journal of Mammalogy* 90(6): 1341-1349.

- Baerwald EF, Edworthy J, Holder M, and Barclay RMR. 2009. A large-scale mitigation experiment to reduce bat fatalities at wind energy facilities. *The Journal of Wildlife Management* 73(7): 1077-1081.
- Baerwald E, Edworthy J, Holder M, and Barclay RMR. 2008. Barotrauma is a significant cause of bat mortalities at wind turbines. *Current Biology* 18(16): 695–696.
- Barclay R, Baerwald E, and Gruver J. 2007. Variation in bat and bird mortalities at wind energy facilities: assessing the effects of rotor size and tower height. *Canadian Journal of Zoology* 85(3): 381–387.
- Barclay R and Harder L. 2003. Life histories of bats: life in the slow lane. In *Bat Ecology*, University of Chicago Press: 209-253.
- Barrios L and Rodríguez A. 2004. Behavioural and environmental correlates of soaring-bird mortality at on-shore wind turbines. *Journal of Applied Ecology* 41(1): 72-81.
- Bednarz J, Klem D, Goodrich L, and Senner S. 1990. Migration counts of raptors at Hawk Mountain, Pennsylvania, as indicators of population trends, 1934-1986. *The Auk* 107: 96-109.
- Bennett V and Hale A. 2014. Red aviation lights on wind turbines do not increase bat-turbine collisions. *Animal Conservation* 17(4): 354–358.
- Calvert A, Bishop C, Elliot R, Krebs E, Kydd T, Machtans C, and Robertson G. 2013. A synthesis of human-related avian mortality in Canada. *Avian Conservation and Ecology* 8(2): 11.
- Carrete M, Sanchez-Zapata J, Benitez J, et al. 2012. Mortality at wind-farms is positively related to large-scale distribution and aggregation in griffon vultures. *Biological Conservation* 145(1): 102-108.
- Cryan P, Gorresen P, Hein C, Schirmacher M, Diehl R, Huso M, Hayman D, Fricker P, Bonaccorso F, Johnson D, Heist K, and Dalton D. 2014. Behavior of bats at wind turbines. *Proceedings of the National Academy of Sciences* 111(42): 15126-15131.
- Cryan PM. 2008. Mating behavior as a possible cause of bat fatalities at wind turbines. *The Journal of Wildlife Management* 72(3): 845-849.
- Cryan PM, Jameson JW, Baerwald EF, Willis CKR, Barclay RMR, Snider EA, and Chrichton EG. 2012. Evidence of late-summer mating readiness and early sexual maturation in migratory tree-roosting bats found dead at wind turbines. *PLoS One* 7(10): e47586.
- Cryan P and Barclay R. 2009. Causes of bat fatalities at wind turbines: hypotheses and predictions. *Journal of Mammalogy* 90(6): 1330-1340.
- Dahl E, Bevanger K, Nygard T, Roskaft E, and Stokke BG. 2012. Reduced breeding success in white-tailed eagles at Smøla windfarm, western Norway, is caused by mortality and displacement. *Biological Conservation* 145(1): 79-85.
- de Lucas M, Ferrer M, Bechard M, and Muñoz MJ. 2012. Griffon vulture mortality at wind farms in southern Spain: Distribution of fatalities and active mitigation measures. *Biological Conservation* 147(1): 184-189.
- Erickson W, Wolfe M, Bay K, Johnson D, and Gehring JL. 2014. A comprehensive analysis of small-passerine fatalities from collision with turbines at wind energy facilities. *PLoS ONE* 9(9): e107491.
- Ennen J, Lovich J, Meyer K, Bjurlin C, and Arundel TR. 2012. Nesting ecology of a population of *Gopherus agassizii* at a utility-scale wind energy facility in southern California. *Copeia* 2: 222-228.

- Everaert J. 2014. Collision risk and micro-avoidance rates of birds with wind turbines in Flanders. *Bird Study* 61(2): 220–230.
- (FAA) Federal Aviation Administration. 2007. Obstruction marking and lighting. Advisory Circular AC 70/7460-1K, *US Department of Transportation*: 55.
- Ferrer M, de Lucas M, Janss GFE, Casado E, Muñoz AR, Bechard MJ, and Calabuig CP. 2012. Weak relationship between risk assessment studies and recorded mortality in wind farms. *Journal of Applied Ecology* 49(1): 38-46.
- Foley J, Clifford D, Castle K, Cryan P, and Ostfeld RS. 2011. Investigating and managing the rapid emergence of white-nose syndrome, a novel, fatal, infectious disease of hibernating bats. *Conservation Biology* 25(2): 223-231.
- Frick WF, Pollock JF, Hicks A, Langwig K, Reynolds DS, Turner G, Buthowski C, and Kunz TH. 2010. An emerging disease causes regional population collapse of a common North American bat species. *Science* 329(5992): 679-682.
- Gehring J, Kerlinger P, and Manville AM. 2009. Communication towers, lights, and birds: successful methods of reducing the frequency of avian collisions. *Ecological Applications* 19(2): 505-514.
- Graff BJ, Jenks JA, Stafford JD, Jensen KC, Grovenburg TW. 2016. Assessing spring direct mortality to avifauna from wind energy facilities in the Dakotas. *Journal of Wildlife Management* 80(4):736-745.
- Grodsky S, Behr M, Gendler A, Drake D, Dieterle BD, Rudd RJ, and Walrath NL. 2011. Investigating the causes of death for wind turbine-associated bat fatalities. *Journal of Mammalogy* 92(5): 917-925.
- Gue CT, Walker J, Mehl K, Gleason JS, Stephens SE, Loesch CR, Reynolds RE, and Goodwin BJ. 2013. The effects of a large-scale wind farm on breeding season survival of female mallards and blue-winged teal in the Prairie Pothole Region. *The Journal of Wildlife Management* 77(7): 1360-1371.
- Hatchett E, Hale A, Bennett V, and Karsten K. 2013. Wind turbines do not negatively affect nest success in the Dickcissel (*Spiza americana*). *The Auk* 130(3): 520-528.
- Hayes, M. 2012. The *Geomyces* fungi: ecology and distribution. *BioScience* 62(9): 819-823.
- Hein CD, Gruver J, and Arnett EB. 2013. Relating pre-construction bat activity and post-construction bat fatality to predict risk at wind energy facilities: a synthesis. A report for National Renewable Energy Laboratory. Bat Conservation International, Austin, TX, USA.
- Hoover S and Morrison M. 2005. Behavior of red-tailed hawks in a wind turbine development. *The Journal of Wildlife Management*. 69(1): 150-159.
- Horn J, Arnett E, and Kunz T. 2008. Behavioral responses of bats to operating wind turbines. *The Journal of Wildlife Management* 72(1): 123–132.
- Hunt WG, McClure C, Allison TD. 2015. Do Raptors React to Ultraviolet Light? *Journal of Raptor Research* 49(3): 342–343.
- Jain A, Koford R, Hancock A, and Zenner GG. 2011. Bat mortality at a northern Iowa wind resource area. *The American Midland Naturalist* 165: 185-200.
- Johnson GD and Erickson WP. 2010. Avian, bat, and habitat cumulative impacts associated with wind energy development in the Columbia Plateau Ecoregion of eastern Washington and Oregon. Prepared for Klickitat County Planning Department, 40 pages.

- Johnson G, Erickson W, Strickland M, Shepherd M, Shepherd D, and Sarappo S. 2002. Collision mortality of local and migrant birds at a large-scale wind-power development on Buffalo Ridge, Minnesota. *Wildlife Society Bulletin* 30: 879-887.
- Jones K, Purvis A, and Gittleman J. 2003. Biological correlates of extinction risks in bats. *The American Naturalist* 161(4): 601-614.
- Katzner T, Brandes D, Miller T, Lanzone M, Maisonneuve C, Tremblay JA, Hulvihill R, and Merovich GT. 2012. Topography drives migratory flight altitude of golden eagles: implications for on-shore wind energy development. *Journal of Applied Ecology* 49(5): 1178-1186.
- Kerlinger P, Gehring JL, Erickson WP, Curry R, Jain A, and Guarnaccia J. 2010. Night migrant fatalities and obstruction lighting at wind turbines in North America. *The Wilson Journal of Ornithology* 122(4): 744-754.
- Kingsley A and Whittam B. 2007. Wind turbines and birds: a background review for environmental assessment. Prepared for Environment Canada /Canadian Wildlife Service. *Bird Studies Canada*.
- Korstian JM, Hale AM, Williams DA. 2015. Genetic diversity, historic population size, and population structure in two North American tree bats. *Journal of Mammalogy* 96(5):972-980.
- Korstian JM, Hale AM, Bennett VJ, and Williams DA. 2013. Advances in sex determination in bats and its utility in wind-wildlife studies. *Molecular Ecology Resources* 13: 776-780.
- Kunz TH, Arnett EB, Erickson WP, Hoar AR, Johnson GD, Larkin RP, Strickland MD, Thresher RW, and Tuttle MD. 2007a. Ecological impacts of wind energy development on bats: questions, research needs, and hypotheses. *Frontiers in Ecology and the Environment* 5(6): 315-324.
- Kuvlesky WP, Brennan LA, Morrison ML, Boydston KK, Ballard BM, and Bryant FC. 2007. Wind energy development and wildlife conservation: Challenges and opportunities. *The Journal of Wildlife Management* 71(8): 2487-2498.
- Le Beau CW, Beck JL, Johnson GD, and Holloran MJ. 2014. Short-term impacts of wind energy development on greater sage-grouse fitness. *The Journal of Wildlife Management*, 78(3): 522-530.
- Loesch C, Walker J, Reynolds R, Gleason JS, Niemuth ND, Stephens SE, and Erickson MA. 2013. Effect of wind energy development on breeding duck densities in the Prairie Pothole region. *The Journal of Wildlife Management* 77(3): 587-598.
- Longcore T, Rich C, and Gauthreaux Jr. SA. 2008. Height, guy wires, and steady-burning lights increase hazard of communication towers to nocturnal migrants: a review and meta-analysis. *The Auk* 125(2): 485-492.
- Longcore T, Rich C, Mineau P, MacDonald B, Bert DG, Sullivan LM, and Drake D. 2012. An estimate of avian mortality at communication towers in the United States and Canada. *PLoS One* 7(4): e34025.
- Loss SR, Will T, Loss SS, and Marra PP. 2014a. Bird-building collisions in the United States: Estimates of annual mortality and species vulnerability. *The Condor*, 116(1): 8-23.
- Loss SR, Will T, and Marra PP. 2014b. Estimation of bird-vehicle collision mortality on US roads. *The Journal of Wildlife Management* 78(5): 763-771.
- Loss SR, Will T, and Marra PP. 2014c. Refining estimates of bird collision and electrocution mortality at power lines in the United States. *PloS one*, 9(7): e101565.

- Loss SR, Will T, and Marra PP. 2013a. Estimates of bird collision mortality at wind facilities in the contiguous United States. *Biological Conservation* 168: 201-209.
- Loss SR, Will T, and Marra, PP. 2013b. The impact of free-ranging domestic cats on wildlife of the United States. *Nature Communications* 4: 1396.
- Lovich J and Ennen J. 2013. Assessing the state of knowledge of utility-scale wind energy development and operation on non-volant terrestrial and marine wildlife. *Applied Energy* 103: 52-60.
- Lovich J, Ennen J, Mandrak S, Meyer K, Loughran C, Bjurlin C, Arundel T, Turner W, Jones C, and Groenendaal AM. 2011. Effects of wind energy production on growth, demography, and survivorship of a desert tortoise (*Gopherus agassizii*) population in southern California with comparisons to natural populations. *Herpetological Conservation and Biology* 6(2): 161-174.
- Mabee TJ, Cooper BA, Plissner JH, and Young D. 2006. Nocturnal bird migration over an Appalachian ridge at a proposed wind power project. *Wildlife Society Bulletin* 34(3): 682-690.
- Mabee TJ and Cooper BA. 2004. Nocturnal bird migration in northeastern Oregon and southeastern Washington. *Northwestern Naturalist* 85(2): 39-47.
- Miller A. 2008. Patterns of avian and bat mortality at a utility-scaled wind farm on the southern high plains. Thesis for Texas Tech University, Lubbock, Texas, USA.
- (NABCI) North American Bird Conservation Initiative. 2009. The state of the birds, United States of America, 2009. US Department of Interior, Washington, DC.
- (NAS) National Academy of Sciences. 2007. Environmental impacts of wind-energy projects. The National Academies Press, Washington, DC.
- (NRC) National Research Council. 2010. Hidden costs of energy: unpriced consequences of energy production and use. The National Academies Press, Washington, DC.
- Partners in Flight Science Committee 2013. Population Estimates Database, version 2013. Accessed online 12/18/2013 at <http://rmbo.org/pifpopestimates>.
- Pearce-Higgins JW, Stephen L, Douse A, and Langston RHW. 2012. Greater impacts of wind farms on bird populations during construction than subsequent operation: results of a multi-site and multi-species analysis. *Journal of Applied Ecology* 49: 386-94.
- Piorkowski M and O'Connell T. 2010. Spatial pattern of summer bat mortality from collisions with wind turbines in mixed-grass prairie. *The American Midland Naturalist* 164(2): 260-269.
- Robel R, Harrington Jr J, Hagen C, Pitman J, and Reker R. 2004. Effect of energy development and human activity on the use of sand sagebrush habitat by lesser prairie-chickens in southwestern Kansas. *Transactions of the North American Wildlife and Natural Resources Conference* 69: 251-266.
- Rollins K, Meyerholz D, Johnson G, Capparella A, and Loew S. 2012. A forensic investigation into the etiology of bat mortality at a wind farm: barotrauma or traumatic injury? *Veterinary Pathology* 49(2): 362-371.
- Smallwood KS and Karas B. 2009. Avian and bat fatality rates at old-generation and repowered wind turbines in California. *The Journal of Wildlife Management* 73(7): 1062-1071.
- Smallwood KS and Thelander CG. 2008. Bird mortality in the Altamont Pass wind resource area, California. *The Journal of Wildlife Management* 72(1): 215-223.

- Sovic MG, Carstens BC, Gibbs HL. 2016. Genetic diversity in migratory bats: Results from RADseq data for three tree bat species at an Ohio windfarm. *PeerJ* 4:e1647.
- Stevens T, Hale A, Karsten K, and Bennet VJ. 2013. An analysis of displacement from wind turbines in a wintering grassland bird community. *Biodiversity and Conservation* 22(8): 1755-1767.
- Stienen EWM, Courtens W, Everaert J, and Van De Walle M. 2008. Sex-biased mortality of common terns in wind farm collisions. *The Condor* 110(1): 154–157.
- Strickland MD, Arnett EB, Erickson WP, Johnson DH, Johnson GD, Morrison ML, Shaffer JA, and Warren-Hicks W. 2011. Comprehensive guide to studying wind energy/wildlife interactions. Prepared for the National Wind Coordinating Collaborative, Washington, DC.
- Turner G, Reeder D, and Coleman J. 2011. A five-year assessment of mortality and geographic spread of white-nosed syndrome in North American bats and a look to the future. *Bat Research News* 52: 13-27.
- Vonhof MJ, Russell AL. 2015. Genetic approaches to the conservation of migratory bats: a study of the eastern red bat (*Lasiurus borealis*). *PeerJ* 3:e983.
- Walters K, Kosciuch K, and Jones J. 2014. Can the effect of tall structures on birds be isolated from other aspects of development? *Wildlife Society Bulletin*, 38(2): 250-256.
- Weller T and Baldwin J. 2012. Using echolocation monitoring to model bat occupancy and inform mitigations at wind energy facilities. *The Journal of Wildlife Management* 76(3): 619-631.
- Winder V, Gregory A, McNew L, and Sandercock B. 2015. Responses of male Greater Prairie-Chickens to wind energy development. *The Condor* 117: 284-296.
- Winder VL, McNew LB, Gregory AJ, Hunt LM, Wisely SM, and Sandercock BK. 2013. Space use by female greater prairie-chickens in response to wind energy development. *Ecosphere* 5(1): 1-17.
- Winder V, Mcnew L, Gregory A, Hunt L, Wisely S, and Sandercock B. 2014. Effects of wind energy development on the survival of female greater prairie-chickens. *Journal of Applied Ecology* 51(2): 395-405.
- Winkelman JE. 1992. De invloed van de Sep-proefwindcentrale te Oosterbierum (Fr) op vogels, 1: aanvaringslactof ers, 2: nachtelijke aanvaringskansen, 3: aanvliegedrag overdag, 4: verstoring. RIN-rapport 92/2-5. Instituut voor Bos- en Natuuronderzoek (IBN-DLO), Arnhem.
- Young Jr. DP, Erickson WP, Strickland MD, Good RE, and Sernka KJ. 2003. Comparison of avian responses to UV-light-reflective paint on wind turbines: July 1999-December 2000. Prepared for National Renewable Energy Laboratory. Western EcoSystems Technology (WEST), Inc.