



## Wind Turbine Interactions with Wildlife and their Habitats: A Summary of Research Results and Priority Questions

### Literature Cited

This document contains a full list of the primary sources referenced in AWWI's [Wind Turbine Interactions with Wildlife and their Habitats](#). This fact sheet summarizes publicly available information about the adverse impacts of land-based wind power on wildlife in North America and the status of our knowledge regarding how to avoid or minimize these impacts.

Both the fact sheet and the literature cited are updated regularly to account for the latest published findings in the field of wind energy and wildlife research. The most recent versions can be found at: <https://awwi.org/resources/summary-of-wind-power-interactions-with-wildlife/>

~

- American Wind Wildlife Institute (AWWI). 2018. AWWI Technical Report: A Summary of Bat Fatality Data in a Nationwide Database. Washington, DC. Available at [www.awwi.org](http://www.awwi.org).
- American Wind Wildlife Institute (AWWI). 2019. AWWI Technical Report: A Summary of Bird Fatality Data in a Nationwide Database. Washington, DC. Available at [www.awwi.org](http://www.awwi.org).
- Agha M, Lovich JE, Ennen JR, Augustine B, Arundel TR, Murphy MO, Meyer-Wilkins K, Bjurlin C, Delaney D, Briggs J, Austin M, Madrak SV, and Price SJ. 2015. Turbines and Terrestrial Vertebrates: Variation in Tortoise Survivorship Between a Wind Energy Facility and an Adjacent Undisturbed Wildland Area in the Desert Southwest. *Environmental Management* 56: 332-341.
- Arnett EB, Brown WK, Erickson WP, Fiedler JK, Hamilton BI, Henry TH, Jain A, Johnson GD, Kerns J, Koford RR, Nicholson CP, O'Connell TJ, Piorkowski MD, and Tankersley Jr. RD. 2008. Patterns of bat fatalities at wind energy facilities in North America. *The Journal of Wildlife Management* 72: 61-78.
- Arnett EB, Huso MMP, Schirmacher MR, and Hayes JP. 2011. Altering turbine speed reduces bat mortality at wind-energy facilities. *Frontiers in Ecology and the Environment* 9: 209-214.
- Arnett EB and Baerwald EF. 2013. Impacts of wind energy development on bats: implications for conservation. *Bat Evolution, Ecology, and Conservation*. 435-456.
- Arnett EB, Hein CD, Schirmacher MR, Huso MMP, and Szewczak JM. 2013a. Evaluating the effectiveness of an ultrasonic acoustic deterrent for reducing bat fatalities at wind turbines. *PloS One* 8: e65794.
- Arnett EB, Johnson GD, Erickson WP, and Hein CD. 2013b. A synthesis of operational mitigation studies to reduce bat fatalities at wind energy facilities in North America. A report for National Renewable Energy Laboratory.
- Aschwanden J, Stark H, Peter D, Steuri T, Schmid B, and Liechti F. 2018. Bird collisions at wind turbines in a mountainous area related to bird movement intensities measured by radar. *Biological Conservation* 220:228-336.
- Baerwald E, Edworthy J, Holder M, and Barclay RMR. 2008. Barotrauma is a significant cause of bat mortalities at wind turbines. *Current Biology* 18: 695–696.
- Baerwald EF and Barclay RMR. 2009. Geographic variations in activity and fatality of migratory bats at wind energy facilities. *Journal of Mammalogy* 90: 1341-1349.

- Baerwald EF and Barclay RMR. 2011. Patterns of activity and fatality of migratory bats at a wind energy facility in Alberta, Canada. *The Journal of Wildlife Management* 75: 1103–1114.
- Baerwald EF, Edworthy J, Holder M, and Barclay RMR. 2009. A large-scale mitigation experiment to reduce bat fatalities at wind energy facilities. *The Journal of Wildlife Management* 73: 1077-1081.
- Barclay R and Harder L. 2003. Life histories of bats: life in the slow lane. *Bat Ecology* 209-253.
- Barclay R, Baerwald E, and Gruver J. 2007. Variation in bat and bird mortalities at wind energy facilities: assessing the effects of rotor size and tower height. *Canadian Journal of Zoology* 85: 381–387.
- Barrios L and Rodríguez A. 2004. Behavioural and environmental correlates of soaring-bird mortality at on-shore wind turbines. *Journal of Applied Ecology* 41: 72-81.
- Bednarz J, Klem D, Goodrich L, and Senner S. 1990. Migration counts of raptors at Hawk Mountain, Pennsylvania, as indicators of population trends, 1934-1986. *The Auk* 107: 96-109.
- Bellebaum J, Korner-Nievergelt F, Dürr T, and Mammen U. 2013. Wind turbine fatalities approach a level of concern in a raptor population. *Journal for Nature Conservation* 21: 394-400.
- Bennett V and Hale A. 2014. Red aviation lights on wind turbines do not increase bat-turbine collisions. *Animal Conservation* 17: 354–358.
- Bennet VJ, Hale AM, and Williams DA. 2017. When the excrement hits the fan: Fecal surveys reveal species-specific bat activity at wind turbines. *Mammalian Biology* 87: 125-129
- Bruderer B, Peter D, and Korner-Nievergelt F. 2018. Vertical distribution of bird migration between the Baltic Sea and the Sahara. *Journal of ornithology* 159:315-36.
- Calvert A, Bishop C, Elliot R, Krebs E, Kydd T, Machtans C, and Robertson G. 2013. A synthesis of human-related avian mortality in Canada. *Avian Conservation and Ecology* 8: 11.
- Carrete, M, Sanchez-Zapata JA, Benitez JR, Lobon M, and Donazar JA. 2010. Large scale risk-assessment of wind-farms on population viability of a globally endangered long-lived raptor. *Biological Conservation* 142:2954-2961.
- Carrete M, Sanchez-Zapata J, Benitez J, Lobon M, Francisco M, and Donazar JA. 2012. Mortality at wind-farms is positively related to large-scale distribution and aggregation in griffon vultures. *Biological Conservation* 145: 102-108.
- Cryan P and Barclay R. 2009. Causes of bat fatalities at wind turbines: hypotheses and predictions. *Journal of Mammalogy* 90: 1330-1340.
- Cryan PM, Jameson JW, Baerwald EF, Willis CKR, Barclay RMR, Snider EA, and Chrichton EG. 2012. Evidence of late-summer mating readiness and early sexual maturation in migratory tree-roosting bats found dead at wind turbines. *PLoS One*.
- Cryan P, Gorresen P, Hein C, Schirmacher M, Diehl R, Huso M, Hayman D, Fricker P, Bonaccorso F, Johnson D, Heist K, and Dalton D. 2014. Behavior of bats at wind turbines. *Proceedings of the National Academy of Sciences* 111: 15126-15131.
- Cryan PM. 2008. Mating behavior as a possible cause of bat fatalities at wind turbines. *The Journal of Wildlife Management* 72: 845-849.
- Dahl E, Bevanger K, Nygard T, Roskaft E, and Stokke BG. 2012. Reduced breeding success in white-tailed eagles at Smøla windfarm, western Norway, is caused by mortality and displacement. *Biological Conservation* 145: 79-85.

- Dalthorp DH, Simonis J, Madsen L, Huso, MM, Rabie P, Mintz, JM, Wolpert R, Studyvin J, and Korner-Nievergelt F. 2018. Generalized Mortality Estimator (GenEst) - R code & GUI. U.S. Geological Survey Software Release. Available at <https://doi.org/10.5066/P9O9BATL>
- DeVault TL, Seamans TW, Linnell KE, Sparks DW, and Beasley JC. 2017. Scavenger removal of bird carcasses at simulated wind turbines: Does carcass type matter? *Ecosphere*
- de Lucas M, Ferrer M, Bechard M, and Muñoz MJ. 2012. Griffon vulture mortality at wind farms in southern Spain: Distribution of fatalities and active mitigation measures. *Biological Conservation* 147: 184-189.
- (EERE) EERE Funding Opportunity Exchange. 2015. DE-FOA-0001181: Modification 0003 Wind Energy - Bat Impact Minimization Technologies And Field Testing Opportunities. U.S. Department of Energy. Accessed on 4/19/18 at <https://eere-exchange.energy.gov/Default.aspx?Search=DE-FOA-0001181&SearchType>
- Ennen J, Lovich J, Meyer K, Bjurlin C, and Arundel TR. 2012. Nesting ecology of a population of *Gopherus agassizii* at a utility-scale wind energy facility in southern California. *Copeia* 2: 222-228.
- Erickson W, Wolfe M, Bay K, Johnson D, and Gehring JL. 2014. A comprehensive analysis of small-passerine fatalities from collision with turbines at wind energy facilities. *PLoS ONE*.
- (FAA) Federal Aviation Administration. 2007. Obstruction marking and lighting. Advisory Circular AC 70/7460-1K, US Department of Transportation: 55.
- Fernández-Bellón D, Wilson MW, Irwin S, and O'Halloran J. 2019. Effects of development of wind energy and associated changes in land use on bird densities in upland areas. *Conservation Biology* 33:413-422.
- Ferrer M, de Lucas M, Janss GFE, Casado E, Muñoz AR, Bechard MJ, and Calabuig CP. 2012. Weak relationship between risk assessment studies and recorded mortality in wind farms. *Journal of Applied Ecology* 49: 38-46.
- Foley J, Clifford D, Castle K, Cryan P, and Ostfeld RS. 2011. Investigating and managing the rapid emergence of white-nose syndrome, a novel, fatal, infectious disease of hibernating bats. *Conservation Biology* 25: 223-231.
- Foo CF, Bennett VJ, Hale AM, Korstian JM, Schildt AJ, Williams DA. 2017. Increasing evidence that bats actively forage at wind turbines. *PeerJ*.
- Frick WF, Pollock JF, Hicks A, Langwig K, Reynolds DS, Turner G, Buthowski C, and Kunz TH. 2010. An emerging disease causes regional population collapse of a common North American bat species. *Science* 329: 679-682.
- Frick WF, Baerwald EF, Pollock JF, Barclay RMR, Szymanski JA, Weller TJ, Russell AL, Loeb SC, Medellin RA, and McGuire LP. 2017. Fatalities at wind turbines may threaten population viability of a migratory bat. *Biological Conservation* 209: 172-177.
- Grodsky S, Behr M, Gendler A, Drake D, Dieterle BD, Rudd RJ, and Walrath NL. 2011. Investigating the causes of death for wind turbine-associated bat fatalities. *Journal of Mammalogy* 92: 917-925.
- Gue CT, Walker J, Mehl K, Gleason JS, Stephens SE, Loesch CR, Reynolds RE, and Goodwin BJ. 2013. The effects of a large-scale wind farm on breeding season survival of female mallards and blue-winged teal in the Prairie Pothole Region. *The Journal of Wildlife Management* 77: 1360-1371.

- Hatchett E, Hale A, Bennett V, and Karsten K. 2013. Wind turbines do not negatively affect nest success in the Dickcissel (*Spiza americana*). *The Auk* 130: 520-528.
- Hayes, M. 2012. The *Geomyces* fungi: ecology and distribution. *BioScience* 62: 819-823.
- Hayes, M. A., L. A. Hooton, K. L. Gilland, C. Grandgent, R. L. Smit, S. R. Lindsay, J. D. Collins, S. M. Schumacher, P. A. Rabie, J. C. Gruver, J Goodrich-Mahoney. 2019. A smart curtailment approach for reducing bat fatalities and curtailment time at wind energy facilities. *Ecological Applications*.
- Hein CD, Gruver J, and Arnett EB. 2013. Relating pre-construction bat activity and post-construction bat fatality to predict risk at wind energy facilities: a synthesis. A report for National Renewable Energy Laboratory. Bat Conservation International.
- Hoover S and Morrison M. 2005. Behavior of red-tailed hawks in a wind turbine development. *The Journal of Wildlife Management* 69: 150-159.
- Horn J, Arnett E, and Kunz T. 2008. Behavioral responses of bats to operating wind turbines. *The Journal of Wildlife Management* 72: 123–132.
- H. T. Harvey & Associates. 2018. AWWI Technical Report: Evaluating a Commercial-Ready Technology for Raptor Detection and Deterrence at a Wind Energy Facility in California. American Wind Wildlife Institute, Washington, DC. Available at [www.awwi.org](http://www.awwi.org).
- Hunt WG, Wiens JD, Law PR, Fuller MR, Hunt TL, Driscoll DE, and Jackman RE. 2017. Quantifying the demographic cost of human-related mortality to a raptor population. *PLoS ONE*.
- Hunt WG, McClure C, Allison TD. 2015. Do Raptors React to Ultraviolet Light? *Journal of Raptor Research* 49: 342–343.
- Huso M, Dalthorp D, Miller TJ, and Bruns D. 2016. Wind energy development: methods to assess bird and bat fatality rates post-construction. *Human-Wildlife Interactions* 10: 62-70.
- ICF International. 2016. Final report Altamont Pass Wind Resource Area bird fatality study, monitoring years 2005–2013. Prepared for Alameda County Community Development Agency, Hayward, CA. ICF 00904.08. ICF.
- Jain A, Koford R, Hancock A, and Zenner GG. 2011. Bat mortality at a northern Iowa wind resource area. *The American Midland Naturalist* 165: 185-200.
- Johnson G, Erickson W, Strickland M, Shepherd M, Shepherd D, and Sarappo S. 2002. Collision mortality of local and migrant birds at a large-scale wind-power development on Buffalo Ridge, Minnesota. *Wildlife Society Bulletin* 30: 879-887.
- Jones K, Purvis A, and Gittleman J. 2003. Biological correlates of extinction risks in bats. *The American Naturalist* 161: 601-614.
- Katzner T, Brandes D, Miller T, Lanzone M, Maisonneuve C, Tremblay JA, Hulvihill R, and Merovich GT. 2012. Topography drives migratory flight altitude of golden eagles: implications for on-shore wind energy development. *Journal of Applied Ecology* 49: 1178-1186.
- Kerlinger P, Gehring JL, Erickson WP, Curry R, Jain A, and Guarnaccia J. 2010. Night migrant fatalities and obstruction lighting at wind turbines in North America. *The Wilson Journal of Ornithology* 122: 744–754.
- Kingsley A and Whittam B. 2007. Wind turbines and birds: a background review for environmental assessment. Prepared for Environment Canada/Canadian Wildlife Service. Bird Studies Canada.

- Korstian JM, Hale AM, Bennett VJ, and Williams DA. 2013. Advances in sex determination in bats and its utility in wind-wildlife studies. *Molecular Ecology Resources* 13: 776-780.
- Korstian JM, Hale AM, Williams DA. 2015. Genetic diversity, historic population size, and population structure in two North American tree bats. *Journal of Mammalogy* 96: 972–980.
- Kunz TH, Arnett EB, Erickson WP, Hoar AR, Johnson GD, Larkin RP, Strickland MD, Thresher RW, and Tuttle MD. 2007. Ecological impacts of wind energy development on bats: questions, research needs, and hypotheses. *Frontiers in Ecology and the Environment* 5: 315–324.
- Kuvlesky WP, Brennan LA, Morrison ML, Boydston KK, Ballard BM, and Bryant FC. 2007. Wind energy development and wildlife conservation: Challenges and opportunities. *The Journal of Wildlife Management* 71: 2487-2498.
- LeBeau CW, Johnson GD, Holloran MJ, Beck JL, Nielson RM, Kauffman ME, Rodemaker EJ, and McDonald TL. 2017a. Greater sage-grouse habitat selection, survival, and wind energy infrastructure. *The Journal of Wildlife Management* 81: 690-711.
- Lebeau CW, Beck JL, Johnson GD, Nielson RM, Holloran MJ, Gerow KG, and McDonald TL. 2017b. Greater sage-grouse male lek counts relative to a wind energy development. *Wildlife Society Bulletin* 41: 17-26.
- Loesch C, Walker J, Reynolds R, Gleason JS, Niemuth ND, Stephens SE, and Erickson MA. 2013. Effect of wind energy development on breeding duck densities in the Prairie Pothole region. *The Journal of Wildlife Management* 77: 587-598.
- Longcore T, Rich C, Mineau P, MacDonald B, Bert DG, Sullivan LM, and Drake D. 2012. An estimate of avian mortality at communication towers in the United States and Canada. *PLoS One*.
- Loss SR, Will T, and Marra PP. 2013a. Estimates of bird collision mortality at wind facilities in the contiguous United States. *Biological Conservation* 168: 201-209.
- Loss SR, Will T, and Marra, PP. 2013b. The impact of free-ranging domestic cats on wildlife of the United States. *Nature Communications* 4: 1396.
- Loss SR, Will T, Loss SS, and Marra PP. 2014a. Bird-building collisions in the United States: Estimates of annual mortality and species vulnerability. *The Condor* 116: 8-23.
- Loss SR, Will T, and Marra PP. 2014b. Estimation of bird-vehicle collision mortality on US roads. *The Journal of Wildlife Management* 78: 763-771.
- Loss SR, Will T, and Marra PP. 2014c. Refining estimates of bird collision and electrocution mortality at power lines in the United States. *PLoS ONE*.
- Lovich J, Ennen J, Mandrak S, Meyer K, Loughran C, Bjurlin C, Arundel T, Turner W, Jones C, and Groenendaal AM. 2011. Effects of wind energy production on growth, demography, and survivorship of a desert tortoise (*Gopherus agassizii*) population in southern California with comparisons to natural populations. *Herpetological Conservation and Biology* 6: 161-174.
- Mabee TJ and Cooper BA. 2004. Nocturnal bird migration in northeastern Oregon and southeastern Washington. *Northwestern Naturalist* 85: 39-47.
- Mabee TJ, Cooper BA, Plissner JH, and Young D. 2006. Nocturnal bird migration over an Appalachian ridge at a proposed wind power project. *Wildlife Society Bulletin* 34: 682-690.
- Martin CM, Arnett EB, Stevens RD, and Wallace MC. 2017. Reducing bat fatalities at wind facilities while improving the economic efficiency of operational mitigation. *Journal of Mammalogy* 98: 378-385.

- Marques A.T, Santos CD, Hanssen F, Muñoz AR, Onrubia A, Wikelski M, Moreira F, Palmeirim JM, and Silva JP. 2019. Wind turbines cause functional habitat loss for migratory soaring birds. *Journal of Animal Ecology* 00:1-11.
- McClure C J, Martinson L, and Allison TD. 2018. Automated monitoring for birds in flight: proof of concept with eagles at a wind power facility. *Biological Conservation* 224:26-33.
- Miller A. 2008. Patterns of avian and bat mortality at a utility-scaled wind farm on the southern high plains. Thesis for Texas Tech University.
- Muthersbaugh MS, Ford WM, Powers KE, Silvis A. 2019. Activity patterns of bats during the fall and spring along ridgelines in the central Appalachians. *Journal of Fish and Wildlife Management*. In Press.
- (NAS) National Academy of Sciences. 2007. Environmental impacts of wind-energy projects. The National Academies Press, Washington, DC.
- Nelson DM, Nagel J, Trott R, Campbell CJ, Pruitt L, Good RE, Iskali G, and Gugger PF. 2018. Carcass age and searcher identity affect morphological assessment of sex of bats. *Journal of Wildlife Management* 82:1582-7.
- New L, Bjerre E, Millsap BA, Otto MC, and Runge MC. 2015. A collision risk model to predict avian fatalities at wind facilities: An example using Golden Eagles, *Aquila chrysaetos*. *PloS one*.
- (NRC) National Research Council. 2010. Hidden costs of energy: unpriced consequences of energy production and use. The National Academies Press.
- Pagel JE, Kritz K, Millsap BA, Murphy RK, Kershner E, Covington S. 2013. Bald Eagle and Golden Eagle Mortalities at Wind Energy Facilities in the Contiguous United States. *Journal of Raptor Research*. 47: 311-315.
- Partners in Flight Science Committee 2013. Population Estimates Database, version 2013. Accessed online 12/18/2013 at <http://rmbo.org/pifpopestimates>.
- Pearce-Higgins JW, Stephen L, Douse A, and Langston RHW. 2012. Greater impacts of wind farms on bird populations during construction than subsequent operation: results of a multi-site and multi-species analysis. *Journal of Applied Ecology* 49: 386-94.
- Peters KA, Mizrahi DS, and Allen MC. 2014. Empirical Evidence for Factors Affecting Searcher Efficiency and Scavenging Rates at a Coastal, Terrestrial Wind-Power Facility. *Journal of Fish and Wildlife Management* 5: 330–339.
- Piorkowski M and O’Connell T. 2010. Spatial pattern of summer bat mortality from collisions with wind turbines in mixed-grass prairie. *The American Midland Naturalist* 164(2): 260-269.
- Poessel SA, Brandt J, Mendenhall L, Braham MA, Lanzone MJ, McGann AJ, and Katzner TE. 2018. Flight response to spatial and temporal correlates informs risk from wind turbines to the California Condor. *The Condor* 120:330-342.
- Reimer JP, Baerwald EF, and Barclay RMR. 2018. Echolocation activity of migratory bats at a wind energy facility: testing the feeding-attraction hypothesis to explain fatalities. *Journal of Mammalogy* 99:1472-1477
- Robel R, Harrington Jr J, Hagen C, Pitman J, and Reker R. 2004. Effect of energy development and human activity on the use of sand sagebrush habitat by lesser prairie-chickens in southwestern Kansas. *Transactions of the North American Wildlife and Natural Resources Conference* 69: 251-266.

- Rollins K, Meyerholz D, Johnson G, Capparella A, and Loew S. 2012. A forensic investigation into the etiology of bat mortality at a wind farm: barotrauma or traumatic injury? *Veterinary Pathology* 49: 362-371.
- Santos H, Rodrigues L, Jones G, and Rebelo H. 2012. Using species distribution modelling to predict bat fatality risk at wind farms. *Biological Conservation* 157: 178-186.
- Shaffer JA and Buhl DA. 2015. Effects of wind-energy facilities on breeding grassland bird distributions. *Conservation Biology* 30:59-71.
- Smallwood KS and Karas B. 2009. Avian and bat fatality rates at old-generation and repowered wind turbines in California. *The Journal of Wildlife Management* 73: 1062–1071.
- Smallwood KS and Thelander CG. 2008. Bird mortality in the Altamont Pass wind resource area, California. *The Journal of Wildlife Management* 72: 215–223.
- Sovic MG, Carstens BC, Gibbs HL. 2016. Genetic diversity in migratory bats: Results from RADseq data for three tree bat species at an Ohio windfarm. *PeerJ*.
- Stevens T, Hale A, Karsten K, and Bennet VJ. 2013. An analysis of displacement from wind turbines in a wintering grassland bird community. *Biodiversity and Conservation* 22: 1755-1767.
- Strickland MD, Arnett EB, Erickson WP, Johnson DH, Johnson GD, Morrison ML, Shaffer JA, and Warren-Hicks W. 2011. Comprehensive guide to studying wind energy/wildlife interactions. Prepared for the National Wind Coordinating Collaborative, Washington, DC.
- Taylor KL, Beck JL, and Huzurbazar SV. 2016. Factors Influencing Winter Mortality Risk for Pronghorn Exposed to Wind Energy Development. *Rangeland Ecological Management* 69: 108–116.
- Thompson M, Beston JA, Etterson M, Diffendorfer JE, Loss SR. 2017. Factors associated with bat mortality at wind energy facilities in the United States. *Biological conservation* 215:241-2455.
- Turner G, Reeder D, and Coleman J. 2011. A five-year assessment of mortality and geographic spread of white-nosed syndrome in North American bats and a look to the future. *Bat Research News* 52: 13-27.
- U.S. Fish and Wildlife Service. 2016. Bald and Golden Eagles: Population demographics and estimation of sustainable take in the United States, 2016 update. Division of Migratory Bird Management, Washington D.C., USA.
- Vonhof MJ, Russell AL. 2015. Genetic approaches to the conservation of migratory bats: a study of the eastern red bat (*Lasiurus borealis*). *PeerJ*.
- Walter WD, Leslie Jr DM, and Jenks JA. 2006. Response of Rocky Mountain elk (*Cervus elaphus*) to wind-power development. *The American Midland Naturalist* 156: 363–375.
- Walters K, Kosciuch K, and Jones J. 2014. Can the effect of tall structures on birds be isolated from other aspects of development? *Wildlife Society Bulletin* 38: 250-256.
- Welcker J, Liesenjohann M, Blew J, Nehls G, and Grünkorn T. 2017. Nocturnal migrants do not incur higher collision risk at wind turbines than diurnally active species. *Ibis* 159: 366-373.
- Weller T and Baldwin J. 2012. Using echolocation monitoring to model bat occupancy and inform mitigations at wind energy facilities. *The Journal of Wildlife Management* 76: 619-631.
- Winder VL, McNew LB, Gregory AJ, Hunt LM, Wisely SM, and Sandercock BK. 2013. Space use by female greater prairie-chickens in response to wind energy development. *Ecosphere* 5: 1-17.

- Winder V, Mcnew L, Gregory A, Hunt L, Wisely S, and Sandercock B. 2014. Effects of wind energy development on the survival of female greater prairie-chickens. *Journal of Applied Ecology* 51: 395-405.
- Winder V, Gregory A, McNew L, and Sandercock B. 2015. Responses of male Greater Prairie-Chickens to wind energy development. *The Condor* 117: 284-296.
- Young Jr. DP, Erickson WP, Strickland MD, Good RE, and Sernka KJ. 2003. Comparison of avian responses to UV-light-reflective paint on wind turbines: July 1999-December 2000. Prepared for National Renewable Energy Laboratory. Western EcoSystems Technology (WEST), Inc.
- Zimmerling JR and Francis CM. 2016. Bat mortality due to wind turbines in Canada. *The Journal of Wildlife Management* 80: 1360-1369.