



# Wind Turbine Interactions with Wildlife and their Habitats: A Summary of Research Results and Priority Questions

## Literature Cited

This document contains a full list of the primary sources referenced in AWWI's [Wind Turbine Interactions with Wildlife and Their Habitats](#). This fact sheet summarizes publicly available information about the adverse impacts of land-based wind power on wildlife in North America and the status of our knowledge regarding how to avoid or minimize these impacts.

Both the fact sheet and the literature cited are updated regularly to account for the latest published findings in the field of wind energy and wildlife research. The most recent versions can be found at: <https://awwi.org/resources/summary-of-wind-power-interactions-with-wildlife/>.

~

- Allison TD, Diffendorfer JE, Baerwald EF, Beston JA, Drake D, Hale AM, Hein CD, Huso MM, Loss SR, Lovich JE, and Strickland MD. 2019. Impacts to wildlife of wind energy siting and operation in the United States. *Issues in Ecology* 21:1-24.
- American Wind Wildlife Institute (AWWI). 2020a. AWWI Technical Report: 2<sup>nd</sup> edition: A Summary of Bat Fatality Data in a Nationwide Database. Washington, DC. Available at <https://awwi.org/>.
- American Wind Wildlife Institute (AWWI). 2020b. AWWI Technical Report: 2<sup>nd</sup> edition: A Summary of Bird Fatality Data in a Nationwide Database. Washington, DC. Available at <https://awwi.org/>.
- Agha M, Lovich JE, Ennen JR, Augustine B, Arundel TR, Murphy MO, Meyer-Wilkins K, Bjurlin C, Delaney D, Briggs J, Austin M, Madrak SV, and Price SJ. 2015. Turbines and Terrestrial Vertebrates: Variation in Tortoise Survivorship Between a Wind Energy Facility and an Adjacent Undisturbed Wildland Area in the Desert Southwest. *Environmental Management* 56:332-341.
- Arnett EB, Brown WK, Erickson WP, Fiedler JK, Hamilton BI, Henry TH, Jain A, Johnson GD, Kerns J, Koford RR, Nicholson CP, O'Connell TJ, Piorkowski MD, and Tankersley Jr. RD. 2008. Patterns of bat fatalities at wind energy facilities in North America. *The Journal of Wildlife Management* 72:61-78.
- Arnett EB, Huso MMP, Schirmacher MR, and Hayes JP. 2011. Altering turbine speed reduces bat mortality at wind-energy facilities. *Frontiers in Ecology and the Environment* 9:209-214.
- Arnett EB and Baerwald EF. 2013. Impacts of wind energy development on bats: implications for conservation. Pages 435-456 in Pedersen SC and Adams RA, eds. *Bat Evolution, Ecology, and Conservation*. Springer, New York.
- Arnett EB, Hein CD, Schirmacher MR, Huso MMP, and Szewczak JM. 2013a. Evaluating the effectiveness of an ultrasonic acoustic deterrent for reducing bat fatalities at wind turbines. *PLoS ONE* 8:e65794.
- Arnett EB, Johnson GD, Erickson WP, and Hein CD. 2013b. A synthesis of operational mitigation studies to reduce bat fatalities at wind energy facilities in North America. A report for National Renewable Energy Laboratory.
- Baerwald E, Edworthy J, Holder M, and Barclay RMR. 2008. Barotrauma is a significant cause of bat mortalities at wind turbines. *Current Biology* 18:695-696.
- Baerwald EF and Barclay RMR. 2009. Geographic variations in activity and fatality of migratory bats at wind energy facilities. *Journal of Mammalogy* 90:1341-1349.
- Baerwald EF and Barclay RMR. 2011. Patterns of activity and fatality of migratory bats at a wind energy facility in Alberta, Canada. *The Journal of Wildlife Management* 75:1103-1114.

- Baerwald EF, Edworthy J, Holder M, and Barclay RMR. 2009. A large-scale mitigation experiment to reduce bat fatalities at wind energy facilities. *The Journal of Wildlife Management* 73:1077-1081.
- Barclay R and Harder L. 2003. Life histories of bats: life in the slow lane. Pages 209-253 in Kunz TA and Fenton MB, eds. *Bat Ecology*. The University of Chicago Press, Chicago.
- Barclay R, Baerwald E, and Gruver J. 2007. Variation in bat and bird mortalities at wind energy facilities: assessing the effects of rotor size and tower height. *Canadian Journal of Zoology* 85:381-387.
- Barrientos R, Martins RC, Ascensão F, D'Amico M, Moreira F, Borda-de-Água L. 2018. A review of searcher efficiency and carcass persistence in infrastructure-driven mortality assessment studies. *Biological Conservation* 222: 146-153.
- Barrios L and Rodríguez A. 2004. Behavioural and environmental correlates of soaring-bird mortality at on-shore wind turbines. *Journal of Applied Ecology* 41:72-81.
- Bednarz J, Klem D, Goodrich L, and Senner S. 1990. Migration counts of raptors at Hawk Mountain, Pennsylvania, as indicators of population trends, 1934-1986. *The Auk* 107:96-109.
- Bellebaum J, Korner-Nievergelt F, Dürr T, and Mammen U. 2013. Wind turbine fatalities approach a level of concern in a raptor population. *Journal for Nature Conservation* 21:394-400.
- Bennett V and Hale A. 2014. Red aviation lights on wind turbines do not increase bat-turbine collisions. *Animal Conservation* 17:354-358.
- Bennet VJ, Hale AM, Karsten KB, and Gordon CE. 2014. Effect of wind turbine proximity on nesting success in shrub-nesting birds. *American Midland Naturalist* 172:317-328.
- Bennet VJ, Hale AM, and Williams DA. 2017. When the excrement hits the fan: Fecal surveys reveal species-specific bat activity at wind turbines. *Mammalian Biology* 87:125-129.
- Brownlee SA and Whidden HP. 2011. Additional evidence for barotrauma as a cause of bat mortality at wind farms. *Journal of the Pennsylvania Academy of Science* 85:147-150.
- Calvert A, Bishop C, Elliot R, Krebs E, Kydd T, Machtans C, and Robertson G. 2013. A synthesis of human-related avian mortality in Canada. *Avian Conservation and Ecology* 8:11.
- Carrete M, Sanchez-Zapata JA, Benitez JR, Lobon M, and Donazar JA. 2010. Large scale risk-assessment of wind-farms on population viability of a globally endangered long-lived raptor. *Biological Conservation* 142:2954-2961.
- Carrete M, Sanchez-Zapata J, Benitez J, Lobon M, Francisco M, and Donazar JA. 2012. Mortality at wind-farms is positively related to large-scale distribution and aggregation in griffon vultures. *Biological Conservation* 145:102-108.
- Coppes J, Braunisch V, Bollmann K, Storch I, Mollet P, Grunschachner-Berger V, Taubmann J, Suchant R, and Nopp-Mayr U. 2020. The impact of wind energy facilities on grouse: a systematic review. *Journal of Ornithology* 161:1-15.
- Cryan P and Barclay R. 2009. Causes of bat fatalities at wind turbines: hypotheses and predictions. *Journal of Mammalogy* 90:1330-1340.
- Cryan PM, Jameson JW, Baerwald EF, Willis CKR, Barclay RMR, Snider EA, and Chrichton EG. 2012. Evidence of late-summer mating readiness and early sexual maturation in migratory tree-roosting bats found dead at wind turbines. *PLoS ONE* 7:e47586.
- Cryan P, Gorresen P, Hein C, Schirmacher M, Diehl R, Huso M, Hayman D, Fricker P, Bonaccorso F, Johnson D, Heist K, and Dalton D. 2014. Behavior of bats at wind turbines. *Proceedings of the National Academy of Sciences* 111:15126-15131.
- Cryan PM. 2008. Mating behavior as a possible cause of bat fatalities at wind turbines. *The Journal of Wildlife Management* 72:845-849.

- Dahl E, Bevanger K, Nygard T, Roskraft E, and Stokke BG. 2012. Reduced breeding success in white-tailed eagles at Smøla windfarm, western Norway, is caused by mortality and displacement. *Biological Conservation* 145:79-85.
- Dalthorp DH, Simonis J, Madsen L, Huso MM, Rabie P, Mintz JM, Wolpert R, Studyvin J, and Korner-Nievergelt F. 2018. Generalized Mortality Estimator (GenEst) - R code & GUI. U.S. Geological Survey Software Release. Available at <https://doi.org/10.5066/P909BATL>.
- Davy CM, Squires K, and Zimmerling, JR. 2021. Estimation of spatiotemporal trends in bat abundance from mortality data collected at wind turbines. *Conservation Biology* 35: 227-238.
- DeVault TL, Seamans TW, Linnell KE, Sparks DW, and Beasley JC. 2017. Scavenger removal of bird carcasses at simulated wind turbines: Does carcass type matter? *Ecosphere* 8:e01994.
- de Lucas M, Ferrer M, Bechard M, and Muñoz MJ. 2012. Griffon vulture mortality at wind farms in southern Spain: Distribution of fatalities and active mitigation measures. *Biological Conservation* 147:184-189.
- Dohm R, Jennelle CS, Garvin JC, and Drake D. 2019. A long-term assessment of raptor displacement at a wind farm. *Frontiers in Ecology and the Environment* 17:433-8.
- Ennen J, Lovich J, Meyer K, Bjurlin C, and Arundel TR. 2012. Nesting ecology of a population of *Gopherus agassizii* at a utility-scale wind energy facility in southern California. *Copeia* 2012 2:222-228.
- Erickson W, Wolfe M, Bay K, Johnson D, and Gehring JL. 2014. A comprehensive analysis of small-passerine fatalities from collision with turbines at wind energy facilities. *PLoS ONE* 9:e107491.
- (FAA) Federal Aviation Administration. 2007. Obstruction marking and lighting. Advisory Circular AC 70/7460-1K, US Department of Transportation:55.
- Fernández-Bellón D, Wilson MW, Irwin S, and O'Halloran J. 2019. Effects of development of wind energy and associated changes in land use on bird densities in upland areas. *Conservation Biology* 33:413-422.
- Ferrer M, de Lucas M, Janss GFE, Casado E, Muñoz AR, Bechard MJ, and Calabuig CP. 2012. Weak relationship between risk assessment studies and recorded mortality in wind farms. *Journal of Applied Ecology* 49:38-46.
- Foo CF, Bennett VJ, Hale AM, Korstian JM, Schildt AJ, Williams DA. 2017. Increasing evidence that bats actively forage at wind turbines. *PeerJ* 5:e3985.
- Friedenberg NA and Frick W F. 2021. Assessing fatality minimization for hoary bats amid continued wind energy development. *Biological Conservation* 262, 109309.
- Frick WF, Pollock JF, Hicks A, Langwig K, Reynolds DS, Turner G, Buthowski C, and Kunz TH. 2010. An emerging disease causes regional population collapse of a common North American bat species. *Science* 329:679-682.
- Frick WF, Baerwald EF, Pollock JF, Barclay RMR, Szymanski JA, Weller TJ, Russell AL, Loeb SC, Medellin RA, and McGuire LP. 2017. Fatalities at wind turbines may threaten population viability of a migratory bat. *Biological Conservation* 209:172-177.
- Gillespie MK and Dinsmore SJ. 2014. Nest survival of Red-winged Blackbirds in agricultural areas developed for wind energy. *Agriculture, Ecosystems and Environment* 197:53-59.
- Gilmour LR, Holderied MW, Pickering SP, and Jones G. 2020. Comparing acoustic and radar deterrence methods as mitigation measures to reduce human-bat impacts and conservation conflicts. *PLoS ONE* 15:e0228668.
- Good R, Iskali G, Clark R, Rabie P, DuBridg e K, and Murray K. 2020. AWWI Technical Report: Are Bat Activity and Mortality Best Predicted by Weather Measured On-Site or at Off-Site Regional Airports? Washington, DC. Available at [www.awwi.org](http://www.awwi.org).

- Grodsky S, Behr M, Gendler A, Drake D, Dieterle BD, Rudd RJ, and Walrath NL. 2011. Investigating the causes of death for wind turbine-associated bat fatalities. *Journal of Mammalogy* 92:917-925.
- Gue CT, Walker J, Mehl K, Gleason JS, Stephens SE, Loesch CR, Reynolds RE, and Goodwin BJ. 2013. The effects of a large-scale wind farm on breeding season survival of female mallards and blue-winged teal in the Prairie Pothole Region. *The Journal of Wildlife Management* 77:1360-1371.
- Harrison JO, Brown MB, Powell LA, Schacht WH, and Smith JA. 2017 Nest site selection and nest survival of Greater Prairie-Chickens near a wind energy facility. *The Condor: Ornithological Applications* 119:659-72.
- Harvey MJ, Altenbach JS, and Best TL. 2011. Bats of the United States and Canada. Johns Hopkins University Press, Baltimore, MD.
- Hatchett E, Hale A, Bennett V, and Karsten K. 2013. Wind turbines do not negatively affect nest success in the Dickcissel (*Spiza americana*). *The Auk* 130:520-528.
- Hayes, M. 2012. The Geomyces fungi: ecology and distribution. *BioScience* 62:819-823.
- Hayes, M. A., L. A. Hooton, K. L. Gilland, C. Grandgent, R. L. Smit, S. R. Lindsay, J. D. Collins, S. M. Schumacher, P. A. Rabie, J. C. Gruver, J Goodrich-Mahoney. 2019. A smart curtailment approach for reducing bat fatalities and curtailment time at wind energy facilities. *Ecological Applications* 29:e01881.
- Hein CD, Gruver J, and Arnett EB. 2013. Relating pre-construction bat activity and post-construction bat fatality to predict risk at wind energy facilities: a synthesis. A report for National Renewable Energy Laboratory. Bat Conservation International. Austin, TX, USA.
- Heuck C, Herrmann C, Levers C, Leitao PJ, Krone O, Brandl R, and Albrecht J. 2019. Wind turbines in high quality habitat cause disproportionate increases in collision mortality of the white-tailed eagle. *Biological Conservation* 236:44-51.
- Hoover S and Morrison M. 2005. Behavior of red-tailed hawks in a wind turbine development. *The Journal of Wildlife Management* 69:150-159.
- Horn J, Arnett E, and Kunz T. 2008. Behavioral responses of bats to operating wind turbines. *The Journal of Wildlife Management* 72:123-132.
- Hunt WG, Wiens JD, Law PR, Fuller MR, Hunt TL, Driscoll DE, and Jackman RE. 2017. Quantifying the demographic cost of human-related mortality to a raptor population. *PloS ONE* 12:e0172232.
- Hunt WG, McClure C, Allison TD. 2015. Do Raptors React to Ultraviolet Light? *Journal of Raptor Research* 49:342-343.
- Huso M, Dalthorp D, Miller TJ, and Bruns D. 2016. Wind energy development: methods to assess bird and bat fatality rates post-construction. *Human-Wildlife Interactions* 10:62-70.
- Huso M, Conkling T, Dalthorp D, Davis M, Smith H, Fesnock A, and Katzner T. 2021. Relative energy production determines effect of repowering on wildlife mortality and wind energy facilities. *Journal of Applied Ecology* 00:1-7.
- ICF International. 2016. Final report Altamont Pass Wind Resource Area bird fatality study, monitoring years 2005–2013. Prepared for Alameda County Community Development Agency, Hayward, CA. ICF 00904.08. ICF.
- Jain A, Koford R, Hancock A, and Zenner GG. 2011. Bat mortality at a northern Iowa wind resource area. *The American Midland Naturalist* 165:185-200.
- Johnson G, Erickson W, Strickland M, Shepherd M, Shepherd D, and Sarappo S. 2002. Collision mortality of local and migrant birds at a large-scale wind-power development on Buffalo Ridge, Minnesota. *Wildlife Society Bulletin* 30:879-887.

- Jones K, Purvis A, and Gittleman J. 2003. Biological correlates of extinction risks in bats. *The American Naturalist* 161:601-614.
- Katzner TE, Braham MA, Conkling TJ, Diffendorfer JE, Duerr AE, Loss SR, Nelson DM, Vander Zanden HB, and Yee JL. 2020. Assessing population-level consequences of anthropogenic stressors for terrestrial wildlife. *Ecosphere* 11(3):e03046.
- Katzner T, Brandes D, Miller T, Lanzone M, Maisonneuve C, Tremblay JA, Hulvihill R, and Merovich GT. 2012. Topography drives migratory flight altitude of golden eagles: implications for on-shore wind energy development. *Journal of Applied Ecology* 49:1178-1186.
- Kerlinger P, Gehring JL, Erickson WP, Curry R, Jain A, and Guarnaccia J. 2010. Night migrant fatalities and obstruction lighting at wind turbines in North America. *The Wilson Journal of Ornithology* 122:744-754.
- Kingsley A and Whittam B. 2007. Wind turbines and birds: a background review for environmental assessment. Prepared for Environment Canada/Canadian Wildlife Service. Bird Studies Canada.
- Kirol CP, KT Smith, NE Graf, JB Dinkins, CW LeBeau, TL Maechtle, AL Sutphin, and JL Beck. 2020. Greater Sage-grouse response to the physical footprint of energy development. *Journal of Wildlife Management* 84: 989-1001.
- Kolar PS, and Bechard MJ. 2016. Wind energy, nest success, and post-fledging survival of *Buteo* hawks. *Journal of Wildlife Management* 80:1242-1255.
- Korstian JM, Hale AM, Bennett VJ, and Williams DA. 2013. Advances in sex determination in bats and its utility in wind-wildlife studies. *Molecular Ecology Resources* 13:776-780.
- Korstian JM, Hale AM, and Williams DA. 2015. Genetic diversity, historic population size, and population structure in two North American tree bats. *Journal of Mammalogy* 96:972-980.
- Kunz TH, Arnett EB, Erickson WP, Hoar AR, Johnson GD, Larkin RP, Strickland MD, Thresher RW, and Tuttle MD. 2007. Ecological impacts of wind energy development on bats: questions, research needs, and hypotheses. *Frontiers in Ecology and the Environment* 5:315-324.
- Kuvlesky WP, Brennan LA, Morrison ML, Boydston KK, Ballard BM, and Bryant FC. 2007. Wind energy development and wildlife conservation: Challenges and opportunities. *The Journal of Wildlife Management* 71:2487-2498.
- Lawson M, Jeene D, Thresher R, Houck D, Wimsatt J, and Straw B. 2020. An investigation in the potential for wind turbines to cause barotrauma in bats. *PLoS ONE* 15:e0242485.
- LeBeau CW, Johnson GD, Holloran MJ, Beck JL, Nielson RM, Kauffman ME, Rodemaker EJ, and McDonald TL. 2017a. Greater sage-grouse habitat selection, survival, and wind energy infrastructure. *The Journal of Wildlife Management* 81:690-711.
- Lebeau CW, Beck JL, Johnson GD, Nielson RM, Holloran MJ, Gerow KG, and McDonald TL. 2017b. Greater sage-grouse male lek counts relative to a wind energy development. *Wildlife Society Bulletin* 41:17-26.
- LeMaître J, and LaMarre V. 2020. Effects of wind energy production on a threatened species, the Bicknell's Thrush *Catharus bicknelli*, with and without mitigation. *Bird Conservation International*: 1-16.
- Loesch C, Walker J, Reynolds R, Gleason JS, Niemuth ND, Stephens SE, and Erickson MA. 2013. Effect of wind energy development on breeding duck densities in the Prairie Pothole region. *The Journal of Wildlife Management* 77:587-598.
- Longcore T, Rich C, Mineau P, MacDonald B, Bert DG, Sullivan LM, and Drake D. 2012. An estimate of avian mortality at communication towers in the United States and Canada. *PLoS ONE* 7:e34025.
- Loss SR, Will T, and Marra PP. 2013a. Estimates of bird collision mortality at wind facilities in the contiguous United States. *Biological Conservation* 168:201-209.

- Loss SR, Will T, and Marra, PP. 2013b. The impact of free-ranging domestic cats on wildlife of the United States. *Nature Communications* 4:1396.
- Loss SR, Will T, Loss SS, and Marra PP. 2014a. Bird-building collisions in the United States: Estimates of annual mortality and species vulnerability. *The Condor* 116:8-23.
- Loss SR, Will T, and Marra PP. 2014b. Estimation of bird-vehicle collision mortality on US roads. *The Journal of Wildlife Management* 78:763-771.
- Loss SR, Will T, and Marra PP. 2014c. Refining estimates of bird collision and electrocution mortality at power lines in the United States. *PLoS ONE* 9:e101565.
- Lovich JE, and Ennen JR. 2017. Reptiles and amphibians. Pages 97-118 in Perrow MR, ed. *Wildlife and Wind Farms, Conflicts and Solutions*. Volume 1 Onshore: Potential Effects. Pelagic Publishing, Exeter, UK.
- Lovich J, Ennen J, Mandrak S, Meyer K, Loughran C, Bjurlin C, Arundel T, Turner W, Jones C, and Groenendaal AM. 2011. Effects of wind energy production on growth, demography, and survivorship of a desert tortoise (*Gopherus agassizii*) population in southern California with comparisons to natural populations. *Herpetological Conservation and Biology* 6:161-174.
- Mabee TJ and Cooper BA. 2004. Nocturnal bird migration in northeastern Oregon and southeastern Washington. *Northwestern Naturalist* 85:39-47.
- Mabee TJ, Cooper BA, Plissner JH, and Young D. 2006. Nocturnal bird migration over an Appalachian ridge at a proposed wind power project. *Wildlife Society Bulletin* 34:682-690.
- Mahoney A and Chalfoun AD. 2016. Reproductive success of Horned Lark and McCown's Longspur in relation to wind energy infrastructure. *Condor* 118:360-375.
- Martin CM, Arnett EB, Stevens RD, and Wallace MC. 2017. Reducing bat fatalities at wind facilities while improving the economic efficiency of operational mitigation. *Journal of Mammalogy* 98:378-385.
- Marques A.T, Santos CD, Hanssen F, Muñoz AR, Onrubia A, Wikelski M, Moreira F, Palmeirim JM, and Silva JP. 2019. Wind turbines cause functional habitat loss for migratory soaring birds. *Journal of Animal Ecology* 00:1-11.
- May R, Masden E, Bennet F, and Perron M. (2018). Considerations for upscaling individual effects of wind energy development towards population-level impacts on wildlife. *Journal of Environmental Management* 230:84-93.
- May R, Nygard T, Falkdalen U, Astrom J, Hamre O, and Stokke BG. 2020. Paint it black: efficacy of increased wind turbine rotor blade visibility to reduce avian fatalities. *Ecology and Evolution* 10:8927-8935.
- McClure C J, Martinson L, and Allison TD. 2018. Automated monitoring for birds in flight: proof of concept with eagles at a wind power facility. *Biological Conservation* 224:26-33.
- McClure CJW, Rolek BW, Dunn L, McCabe JD, Martinson L, and Katzner T. 2021. Eagle fatalities are reduced by automated curtailment of wind turbines. *Journal of Applied Ecology* 58:446-452.
- McNew LB, Hunt LM, Gregory AJ, Wisely SM, and Sandercock BK. 2014. Effects of wind energy development on nesting ecology of greater prairie-chickens in fragmented grasslands. *Conservation Biology* 28:1089-99.
- Miller A. 2008. Patterns of avian and bat mortality at a utility-scaled wind farm on the southern high plains. Thesis. Texas Tech University, Lubbock, Texas.
- Muthersbaugh MS, Ford WM, Powers KE, Silvis A. 2019. Activity patterns of bats during the fall and spring along ridgelines in the central Appalachians. *Journal of Fish and Wildlife Management* 10:180-195.

- (NAS) National Academy of Sciences. 2007. Environmental impacts of wind-energy projects. The National Academies Press, Washington, DC.
- Nelson DM, Nagel J, Trott R, Campbell CJ, Pruitt L, Good RE, Iskali G, and Gugger PF. 2018. Carcass age and searcher identity affect morphological assessment of sex of bats. *Journal of Wildlife Management* 82:1582-7.
- Pearce-Higgins JW, Stephen L, Douse A, and Langston RHW. 2012. Greater impacts of wind farms on bird populations during construction than subsequent operation: results of a multi-site and multi-species analysis. *Journal of Applied Ecology* 49:386-94.
- Peters KA, Mizrahi DS, and Allen MC. 2014. Empirical evidence for factors affecting searcher efficiency and scavenging rates at a coastal, terrestrial wind-power facility. *Journal of Fish and Wildlife Management* 5:330-339.
- Peters K, Evans I, Traiger E, Collins J, Matthews C, and Klehr A. 2020. Landscape factors associated with fatalities of migratory tree-roosting bats at wind energy facilities: An initial assessment. AWWI Technical Report. Washington, DC. Available at <https://awwi.org>.
- Piorkowski M and O'Connell T. 2010. Spatial pattern of summer bat mortality from collisions with wind turbines in mixed-grass prairie. *The American Midland Naturalist* 164:260-269.
- Poessel S, Duerr A, Hall J, Braham M, and Katzner T. (2018). Improving estimation of flight altitude in wildlife telemetry studies. *Journal of Applied Ecology* 55:2064-2070.
- Proett, M, Roberts SB, Horne JS, Koons DN, and Messmer TA. 2019. Columbian Sharp-tailed Grouse nesting ecology: wind energy and habitat. *Journal of Wildlife Management* 83:1214-1225.
- Rabie PA, Riser-Espinoza D, Studyvin J, Dalthorp D, and Huso M. 2021. AWWI Technical Report: performance of the GenEst mortality estimator compared to the Huso and Shoenfeld estimators. AWWI, Washington, DC. Available at: <http://awwi.org>.
- Richardson SM, Lintott PR, Hosken DJ, Economou T, and Mathews F. 2021. Peaks in bat activity at turbines and the implications for mitigating the impact of wind energy developments on bats. *Scientific Reports* 11:3636.
- Rollins K, Meyerholz D, Johnson G, Capparella A, and Loew S. 2012. A forensic investigation into the etiology of bat mortality at a wind farm: barotrauma or traumatic injury? *Veterinary Pathology* 49:362-371.
- Romano WB, Skalski JR, Townsend RL, Kinzie KW, Coppinger KD, and Miller MF. 2019. Evaluation of an acoustic deterrent to reduce bat mortalities at an Illinois wind farm. *Wildlife Society Bulletin* 43:608-18.
- Santos H, Rodrigues L, Jones G, and Rebelo H. 2013. Using species distribution modelling to predict bat fatality risk at wind farms. *Biological Conservation* 157:178-186.
- Shaffer JA and Buhl DA. 2016. Effects of wind-energy facilities on breeding grassland bird distributions. *Conservation Biology* 30:59-71.
- Simonis J, Dalthorp D, Huso M, Mintz J, Madsen L, Rabie P, and Studyvin J. 2018. GenEst user guide – software for a generalized estimator of mortality. U.S. Geological Survey Techniques and Methods, book 7, chap. C19. <https://doi.org/10.3133/tm7C19>.
- Smallwood KS and Karas B. 2009. Avian and bat fatality rates at old-generation and repowered wind turbines in California. *The Journal of Wildlife Management* 73:1062-1071.
- Smallwood KS and Bell DA. 2020. Effects of wind turbine curtailment on bird and bat fatalities. *The Journal of Wildlife Management* 1-20.
- Smith JA, Brown MB, Harrison JO, and Powell LA. 2017. Predation risk: a potential mechanism for effects of a wind energy facility on Greater Prairie-Chicken survival. *Ecosphere* 8:e01835.

- Smith KT, Taylor, KL, Albeke SE, Beck JL. 2020. Pronghorn winter resource selection before and after wind energy development in south-central Wyoming. *Rangeland Ecology and Management* 73:227-233.
- Sovic MG, Carstens BC, Gibbs HL. 2016. Genetic diversity in migratory bats: Results from RADseq data for three tree bat species at an Ohio windfarm. *PeerJ* 4:e1647.
- Solick DI, Pham D, Nasman K, and Bay K. 2020. Bat activity rates do not predict bat fatality rates at wind energy facilities. *Acta Chiropterologica* 22:135-146.
- Stevens T, Hale A, Karsten K, and Bennet VJ. 2013. An analysis of displacement from wind turbines in a wintering grassland bird community. *Biodiversity and Conservation* 22:1755-1767.
- Strickland MD, Arnett EB, Erickson WP, Johnson DH, Johnson GD, Morrison ML, Shaffer JA, and Warren-Hicks W. 2011. Comprehensive guide to studying wind energy/wildlife interactions. Prepared for the National Wind Coordinating Collaborative, Washington, DC.  
<https://www.nationalwind.org/comprehensive-guide/>.
- Taylor KL, Beck JL, and Huzurbazar SV. 2016. Factors Influencing Winter Mortality Risk for Pronghorn Exposed to Wind Energy Development. *Rangeland Ecological Management* 69:108-116.
- Thompson M, Beston JA, Etterson M, Diffendorfer JE, and Loss SR. 2017. Factors associated with bat mortality at wind energy facilities in the United States. *Biological Conservation* 215:241-2455.
- Turner G, Reeder D, and Coleman J. 2011. A five-year assessment of mortality and geographic spread of white-nosed syndrome in North American bats and a look to the future. *Bat Research News* 52:13-27.
- U.S. Fish and Wildlife Service. 2016. Bald and Golden Eagles: Population demographics and estimation of sustainable take in the United States, 2016 update. Division of Migratory Bird Management, Washington D.C., USA. <https://www.fws.gov/migratorybirds/pdf/management/EagleRuleRevisions-StatusReport.pdf>.
- U.S. Fish and Wildlife Service. 2012. Land-Based Wind Energy Guidelines.  
[https://www.fws.gov/ecological-services/es-library/pdfs/WEG\\_final.pdf](https://www.fws.gov/ecological-services/es-library/pdfs/WEG_final.pdf).
- Ventus Environmental Solutions. 2016. Avian and Bat Monitoring Project, Vasco Winds. LLC., Final Report, 2012-2015. Prepared for NextEra Energy Resources, Livermore, CA.
- Vonhof MJ and Russell AL. 2015. Genetic approaches to the conservation of migratory bats: a study of the eastern red bat (*Lasiurus borealis*). *PeerJ* 3:e983.
- Walter WD, Leslie Jr DM, and Jenks JA. 2006. Response of Rocky Mountain elk (*Cervus elaphus*) to wind-power development. *The American Midland Naturalist* 156:363-375.
- Weaver SP, Hein CD, Simpson TR, Evans JW, and Castro-Arellano I. 2020. Ultrasonic acoustic deterrents significantly reduce bat fatalities at wind turbines. *Global Ecology and Conservation* 24:e01099.
- Weller T and Baldwin J. 2012. Using echolocation monitoring to model bat occupancy and inform mitigations at wind energy facilities. *The Journal of Wildlife Management* 76:619-631.
- Will, T., J.C. Stanton, K.V. Rosenberg, A.O. Panjabi, A.F. Camfield, A.E. Shaw, W.E. Thogmartin, and P.J. Blancher. 2019. Handbook to the Partners in Flight Population Estimates Database, Version 3.0. PIF Technical Series No 7. Available at: <http://pif.birdconservancy.org/popest.handbook.pdf>.
- Winder VL, McNew LB, Gregory AJ, Hunt LM, Wisely SM, and Sandercock BK. 2013. Space use by female greater prairie-chickens in response to wind energy development. *Ecosphere* 5:1-17.
- Winder V, Mcnew L, Gregory A, Hunt L, Wisely S, and Sandercock B. 2014. Effects of wind energy development on the survival of female greater prairie-chickens. *Journal of Applied Ecology* 51:395-405.
- Winder V, Gregory A, McNew L, and Sandercock B. 2015. Responses of male Greater Prairie-Chickens to wind energy development. *The Condor* 117:284-296.



Young Jr. DP, Erickson WP, Strickland MD, Good RE, and Sernka KJ. 2003. Comparison of avian responses to UV-light-reflective paint on wind turbines: July 1999-December 2000. Prepared for National Renewable Energy Laboratory. Western EcoSystems Technology (WEST), Inc.  
<https://www.nrel.gov/docs/fy03osti/32840.pdf>.